

# CORMED





## PRODUCT CATALOGUE

## Extracorporeal Circuit Cannulas

# SleekFlow® CV-S

## Venous Return Cannula - Straight Plastic Tip





### Ordering information

Order No.	Size	OD (mm)	Length (mm)	Connector Port (inch)
VC-PSR-12	12 Fr	4.0	380	1/4
VC-PSR-14	14 Fr	4.7	380	1/4
VC-PSR-16	16 Fr	5.3	380	1/4
VC-PSR-18	18 Fr	6.0	400	5/16
VC-PSR-20	20 Fr	6.7	400	5/16
VC-PSR-22	22 Fr	7.3	400	5/16
VC-PSR-24	24 Fr	8.0	400	5/16
VC-PSR-26	26 Fr	8.7	400	5/16
VC-PSR-28	28 Fr	9.3	400	3/8
VC-PSR-30	30 Fr	10.0	400	3/8
VC-PSR-32	32 Fr	10.7	400	3/8
VC-PSR-34	34 Fr	11.3	400	3/8
VC-PSR-36	36 Fr	12.0	400	1/2
VC-PSR-38	38 Fr	12.7	400	1/2
VC-PSR-40	40 Fr	13.3	400	1/2
VC-PSR-42	42 Fr	14.0	400	1/2

## Extracorporeal Circuit Cannulas

# SleekFlow® CV-S

## Venous Return Cannula - Angle Plastic Tip




### Ordering information

Order No.	Size	OD (mm)	Length (Mm)	Connector Port (inch)
VC-PCR-12	12 Fr	4.0	350	1/4
VC-PCR-14	14 Fr	4.7	350	1/4
VC-PCR-16	16 Fr	5.3	350	1/4
VC-PCR-18	18 Fr	6.0	370	5/16
VC-PCR-20	20 Fr	6.7	370	5/16
VC-PCR-22	22 Fr	7.3	370	5/16
VC-PCR-24	24 Fr	8.0	370	5/16
VC-PCR-26	26 Fr	8.7	370	5/16
VC-PCR-28	28 Fr	9.3	355	3/8
VC-PCR-30	30 Fr	10.0	355	3/8
VC-PCR-32	32 Fr	10.7	355	3/8
VC-PCR-34	34 Fr	11.3	355	3/8
VC-PCR-36	36 Fr	12.0	355	1/2
VC-PCR-38	38 Fr	12.7	355	1/2
VC-PCR-40	40 Fr	13.3	355	1/2
VC-PCR-42	42 Fr	14.0	355	1/2

# SleekFlow® CV-S

Venous Return Cannula - Angle Metal Tip





## Ordering information

Order No.	Size	Od (mm)	Length (mm)	Connector Port (inch)
VC-MCR-12	12 Fr	4.0	395	1/4
VC-MCR-14	14 Fr	4.7	395	1/4
VC-MCR-16	16 Fr	5.3	395	1/4
VC-MCR-18	18 Fr	6.0	425	5/16
VC-MCR-20	20 Fr	6.7	425	5/16
VC-MCR-22	22 Fr	7.3	425	5/16
VC-MCR-24	24 Fr	8.0	425	5/16
VC-MCR-26	26 Fr	8.7	425	5/16
VC-MCR-28	28 Fr	9.3	425	3/8

## Extracorporeal Circuit Cannulas

# SleekFlow® CV-D

## Venous Return Cannula - Two Stage Venous Cannula Round Lumen





### Ordering information

Order No.	Size	1 <sup>st</sup> Stage (mm)	2 <sup>nd</sup> Stage (mm)	Length (mm)	Connector Port (inch)
		OD	OD		
VC-TSR-2428	24/28 Fr	8.0	9.3	390	3/8
VC-TSR-2836	28/36 Fr	9.3	12.0	390	1/2
VC-TSR-3038	30/38 Fr	10.0	12.7	390	1/2
VC-TSR-3238	32/38 Fr	10.7	12.7	390	1/2
VC-TSR-3438	34/38 Fr	11.3	12.7	390	1/2
VC-TSR-3440	34/40 Fr	11.3	13.3	390	1/2
VC-TSR-3446	34/46 Fr	11.3	15.3	400	1/2
VC-TSR-3448	34/48 Fr	11.3	16.0	400	1/2
VC-TSR-3646	36/46 Fr	12.0	15.3	400	1/2
VC-TSR-3650	36/50 Fr	12.0	16.0	400	1/2
VC-TSR-3850	38/50 Fr	12.7	16.0	400	1/2

## Extracorporeal Circuit Cannulas

# SleekFlow® CV-D

## Venous Return Cannula - Two Stage Venous Cannula Oval Lumen




### Ordering information

Order No.	Size	1 <sup>st</sup> Stage (mm)	2 <sup>nd</sup> Stage (mm)	Length (mm)	Connector Port (inch)
		OD	OD		
VC-TSO-2428	24/28 Fr	8.0	9.3	390	3/8
VC-TSO-2836	28/36 Fr	9.3	12.0	390	1/2
VC-TSO-3038	30/38 Fr	10.0	12.7	390	1/2
VC-TSO-3238	32/38 Fr	10.7	12.7	390	1/2
VC-TSO-3438	34/38 Fr	11.3	12.7	390	1/2
VC-TSO-3440	34/40 Fr	11.3	13.3	390	1/2
VC-TSO-3446	34/46 Fr	11.3	15.3	400	1/2
VC-TSO-3448	34/48 Fr	11.3	16.0	400	1/2
VC-TSO-3646	36/46 Fr	12.0	15.3	400	1/2
VC-TSO-3650	36/50 Fr	12.0	16.0	400	1/2
VC-TSO-3850	38/50 Fr	12.7	16.0	400	1/2

# SleekFlow<sup>®</sup> AO-Plus

Arterial Cannula Straight Plastic Tip, Wirewound Body, with Introducer





## Ordering information

Order No.	Size	OD (mm)	Length (mm)	Connector Port (inch)
IFAC-PSR-ST-08	8 Fr	2.7	260	1/4
IFAC-PSR-ST-10	10 Fr	3.3	260	1/4
IFAC-PSR-ST-12	12 Fr	4.0	260	1/4
IFAC-PSR-ST-14	14 Fr	4.7	260	1/4
IFAC-PSR-ST-16	16 Fr	5.3	260	1/4

# SleekFlow<sup>®</sup> AO

Arterial Cannula Straight Plastic Tip, Wirewound Body




## Ordering information (Without Suture Ring)

Order No.	Size	OD (mm)	Length (mm)	Connector Port (inch)
IFAC-PSR-08	8 Fr	2.7	211	1/4
IFAC-PSR-10	10 Fr	3.3	211	1/4
IFAC-PSR-12	12 Fr	4.0	211	1/4
IFAC-PSR-14	14 Fr	4.7	211	1/4
IFAC-PSR-16	16 Fr	5.3	211	1/4
IFAC-PSR-18	18 Fr	6.0	255	3/8
IFAC-PSR-20	20 Fr	6.7	255	3/8
IFAC-PSR-22	22 Fr	7.3	255	3/8
IFAC-PSR-24	24 Fr	8.0	255	3/8

# SleekFlow® AO

Arterial Cannula Straight Plastic Tip, Wirewound Body, with Suture Ring





## Ordering information (With Suture Ring)

Order No.	Size	OD (mm)	Length (mm)	Connector Port (inch)
IFAC-PSR-SR-14	14 Fr	4.7	211	1/4
IFAC-PSR-SR-16	16 Fr	5.3	211	1/4
IFAC-PSR-SR-18	18 Fr	6.0	255	3/8
IFAC-PSR-SR-20	20 Fr	6.7	255	3/8
IFAC-PSR-SR-22	22 Fr	7.3	255	3/8
IFAC-PSR-SR-24	24 Fr	8.0	255	3/8

# SleekFlow® AO

Arterial Cannula Straight Plastic Tip, not Wirewound Body





## Ordering information (Without Suture Ring)

Order No.	Size	OD (mm)	Length (mm)	Connector Port (inch)
IFAC-PSN-08	8 Fr	2.7	211	1/4
IFAC-PSN-10	10 Fr	3.3	211	1/4
IFAC-PSN-12	12 Fr	4.0	211	1/4
IFAC-PSN-14	14 Fr	4.7	211	1/4
IFAC-PSN-16	16 Fr	5.3	211	1/4
IFAC-PSN-18	18 Fr	6.0	255	3/8
IFAC-PSN-20	20 Fr	6.7	255	3/8
IFAC-PSN-22	22 Fr	7.3	255	3/8
IFAC-PSN-24	24 Fr	8.0	255	3/8

## Extracorporeal Circuit Cannulas

# SleekFlow<sup>®</sup> AO

Arterial Cannula Straight Plastic Tip, not Wirewound Body, with Suture Ring





### Ordering information (With Suture Ring)

Order No.	Size	OD (mm)	Length (mm)	Connector Port (inch)
IFAC-PSN-SR-14	14 Fr	4.7	211	1/4
IFAC-PSN-SR-16	16 Fr	5.3	211	1/4
IFAC-PSN-SR-18	18 Fr	6.0	255	3/8
IFAC-PSN-SR-20	20 Fr	6.7	255	3/8
IFAC-PSN-SR-22	22 Fr	7.3	255	3/8
IFAC-PSN-SR-24	24 Fr	8.0	255	3/8

# SleekFlow<sup>®</sup> AO

Arterial Cannula Angle Plastic Tip, Wirewound Body




## Ordering information

Order No.	Size	OD (mm)	Length (mm)	Connector Port (inch)
IFAC-PCR-12	12 Fr	4.0	223	1/4
IFAC-PCR-14	14 Fr	4.7	223	1/4
IFAC-PCR-16	16 Fr	5.3	223	1/4
IFAC-PCR-18	18 Fr	6.0	264	3/8
IFAC-PCR-20	20 Fr	6.7	264	3/8
IFAC-PCR-22	22 Fr	7.3	264	3/8
IFAC-PCR-24	24 Fr	8.0	264	3/8

# SleekFlow® AO

Arterial Cannula Angle Plastic Tip, not Wirewound Body



## Ordering information

Order No.	Size	OD (mm)	Length (mm)	Connector Port (inch)
IFAC-PCR-12	12 Fr	4.0	223	1/4
IFAC-PCR-14	14 Fr	4.7	223	1/4
IFAC-PCR-16	16 Fr	5.3	223	1/4
IFAC-PCR-18	18 Fr	6.0	264	3/8
IFAC-PCR-20	20 Fr	6.7	264	3/8
IFAC-PCR-22	22 Fr	7.3	264	3/8
IFAC-PCR-24	24 Fr	8.0	264	3/8

## Cardioplegia Circuit Cannulas

# LifeWell® TUB


## Cardioplegia Circuit Cannula - Aortic Root Cannula

Medical grade PVC material for the body.

The special stainless steel treatment makes the needle rigid and tenacious.

Molded tip resists kinking.


### With Vent Line



### Ordering information

Order No.	Description
ARC-Y-15	With vent line, 15Ga, fixation flange, female luer connector
ARC-Y-16	With vent line, 16Ga, fixation flange, female luer connector

### Without Vent Line



### Ordering information

Order No.	Description
ARC-S-15	Without vent line, 15Ga, fixation flange, female luer connector
ARC-S-16	Without vent line, 16Ga, fixation flange, female luer connector


# LifeWell® TUB

## Cardioplegia Circuit Cannula - Coronary Artery Ostial Cannula 45° / 90°

These cannulas feature flanged, radiopaque basket tips.

All cannulas have female luer connection site.


45°



### Ordering information

Order No.	Description
CAOC-45-10	45 degree, 10Fr (3.3mm)
CAOC-45-12	45 degree, 12Fr (4.0mm)
CAOC-45-14	45 degree, 14Fr (4.7mm)

90°



### Ordering information

Order No.	Description
CAOC-90-10	90 degree, 10Fr (3.3mm)
CAOC-90-12	90 degree, 12Fr (4.0mm)
CAOC-90-14	90 degree, 14Fr (4.7mm)



## **Extracorporeal Circulation Series**

# Suction Circuit Cannulas

Suction Circuit Cannulas are intended to provide suction within and around the heart.

## Suction Circuit Cannulae

# SleekFlow® CC-LT

## Vent Catheter Type A / Type B

### Type A

Vent Catheter is designed to drain blood from left atrium and left ventricle.



### Ordering information

Order No.	Size	OD of Stylet (mm)	ID of Tube (mm)	OD of Tube (mm)	Length (mm)	Number Of Side Holes	Connector Pore (inch)	Remark
SCA-18	18 Fr	2.8	3.5	5.8	358	5	1/4	With stylet
SCA-14	14 Fr	2.1	2.5	4.5	316	5	1/4	With stylet
SCA-12	12 Fr	-	2.5	4.0	308	6	1/4	Without stylet

### Type B

Malleable suction catheter. The tip of this cannula can be curved to any angle at doctor's wish.



### Ordering information


Order No.	Size	ID of Tube (mm)	OD of Tube (mm)	Length (mm)	Number Of Side Holes	Connector Pore (inch)
SCB-18	18 Fr	2.5	5.8	350	5	1/4
SCB-14	14 Fr	2.5	4.5	310	6	1/4
SCB-12	12 Fr	2.5	4.0	305	6	1/4

# SleekFlow® CC-RT

## Rigid Suction Wand / Flexible Suction Wand

### Rigid Suction Wand

Feature maximum flow and minimum trauma. A plastic grip is equipped for comfortable operation. The tip of the pediatric model has been made softer for gentle suction.



### Ordering information

Order No.	Size	ID of Tube (mm)	OD of Tube (mm)	Length (mm)	Connector Pore (inch)
SCR-18	18 Fr	4.8	5.8	295	1/4
SCR-14	14 Fr	3.5	4.5	230	1/4

### Flexible Suction Wand

Feature a soft tip to maximize the suction flow and minimize the tissue trauma. The tip design is ideal for atraumatic suction within the heart chambers.



### Ordering information

Order No.	Size	ID of Tube (mm)	OD of Tube (mm)	Length (mm)	Connector Pore (inch)
SCF-18	18 Fr	4.0	6.0	440	1/4
SCF-14	14 Fr	3.0	5.0	380	1/4



# CORMED

medizintechnik

## **Verwaltung**

A Südstraße 1, 59602 Rüthen,  
T 0 29 54 / 97 55 0 | F 0 29 54 / 97 55 97  
M [info@cormed.de](mailto:info@cormed.de)

## **Lager / Logistik**

A Windmüllerstraße 39, 59557 Lippstadt,  
T 0 29 41 / 97 72 90 0 | F 0 29 41 / 97 72 90 97

AG Arnsberg • HRA 5815 • Ust.-ID. 125688389

Pers. Haftende Gesellschafter: Cormed Verwaltungs-GmbH • Rüthen • AG Arnsberg • HRB 6771  
Geschäftsführer: Oliver Sommer